

## Quiz 02 - Practice

COMP 110: Introduction to Programming  
Spring 2025

Monday, February 24, 2025

Name:

Solutions

9-digit PID:

Do not begin until given permission.

*Honor Code: I have neither given nor received any unauthorized aid on this quiz.*

Signed:

\_\_\_\_\_

**Question 1: Multiple Choice** Completely fill in the bubble next to your answer using a pencil. Each question should have exactly one filled-in bubble.

- 1.1. A variable's value should not be reassigned after initialization.

True       $x: \text{int} = 3$   
 False       $x = 4$

- 1.2. Which of the following refers to the first time a variable is bound to a value?

Assignment  
 Initialization  
 Relative Reassignment  
 Declaration

- 1.3. Which side of the following statement should be evaluated first?

1  $x = y$

x (left-hand side)  
 y (right-hand side)

- 1.4. The following two statements are equivalent to one another and interchangeable:

1  $x = y$   
2  $y = x$

False  
 True

- 1.5. The following statement increments x's value by 1.

1  $x + 1 = x$

False  
 True

- 1.6. The following statement increments x's value by 1.

1  $x += 1$  *relative assignment operator*

False  
 True

- 1.7. The following statement increments x's value by 1.

1  $x = x + 1$

False  
 True

- 1.8. When accessing an index of a list that does not exist, what kind of error is encountered?

NameError       $\text{nums}[3]$   
 KeyError  
 IndexError  
 StackOverflowError

$\text{nums}: [\text{list}[\text{int}] = [1, 3, 6]]$

- 1.9. When *accessing* an element of a list, what kind of value most generically describes what is found inside the subscription notation's square brackets. E.g.  $a\_list[HERE]$

Integer Literal       $\text{nums}[1]$   
 Data Type       $\text{nums}[0+1]$   
 Integer Expression  
 Integer Variable Name

- 1.10. Generally, to avoid an infinite `while` loop, each iteration of the loop body should change a variable involved in the `while` loop's test condition bringing it closer to `False`:

$\text{idx}: \text{int} = 0$   
 $\text{while } \text{idx} < \text{len}(\text{nums}):$   
 $\quad \text{idx} += 1$

False  
 True

- 1.11. Consider a function named `f` with a `while` loop. In the `while` loop's body, there is a `return` statement. At most, how many times will this `return` statement be evaluated in a single function call to `f`?

1  
 As many times as the loop iterates  
 Infinite

- 1.12. Which of the following describes a test written to demonstrate an expected usage of a function?

Edge Case  
 Use Case

- 1.13. What is the evaluation of the following expression:

1  $[10, 20, 30][[0, 1, 2][3 - 1]]$

10       $[0, 1, 2][3 - 1]$   
 20       $[0, 1, 2][2]$   
 30       $[10, 20, 30][2]$   
 IndexError

**Question 2: Respond** to the following questions

Consider the following code listing:

```
1 animals: list[str] = ["fox", "bear", "rabbit"]
2 ints: list[int] = [1, 1, 1, 1]
3 two_d: list[list[int]] = [[10, 20], [30, 40], [50, 60]]
```

- 2.1. Write an expression that evaluates to "bear", making use of the `animals` variable.

```
animals[1]
```

- 2.2. Write a method call that adds the value "mouse" to the `animals` list.

```
animals.append("mouse")
```

- 2.3. Write a function call expression that evaluates to the quantity of values in the `animals` list.

```
len(animals)
```

- 2.4. Write an expression that increments the 3rd value in ints to be one greater than its previous value (regardless of what the previous value was).

```
ints[2] = ints[2] + 1      OR      ints[2] += 1
```

- 2.5. Write a sequence of 3 assignment statements that will swap the values of the 0 and 1 index in `animals`. You will need to declare and initialize a temporary variable.

```
temp: str = animals[0]
animals[0] = animals[1]
animals[1] = temp
```

[ "fox", "bear", ... ] before  
swap  
[ "bear", "fox", ... ] after  
temp [ "fox" ]

- 2.6. Write an expression that accesses the value 40 stored in the `two_d` variable.

```
two_d[1][1]
```

- 2.7. Write an expression that accesses the list [50, 60] stored in the `two_d` variable.

```
two_d[2]
```

- 2.8. Write an expression that removes the item at index 1 from `animals`.

```
animals.pop(1)
```

**Question 3: Memory Diagram** Trace a memory diagram of the following code listing.

```

1 def mutator(x: int, exes: list[int]) -> int:
2     """An impure function..."""
3     x += 1
4     exes[0] += 1
5     y: int = x + 1           |           [1]
6     print(f"mutator x: {x}, exes: {exes}, y: {y}")
7     return x
8
9
10 x: int = 0
11 exes: list[int] = [0]
12 y: int = 0
13 print(f"global before x: {x}, exes: {exes}, y: {y}")
14 y = mutator(x, exes) + 2 3
15 print(f"global after x: {x}, exes: {exes}, y: {y}")

```


0                  [0]                  0  
0                  [1]                  3

Output

```

global before x: 0, exes: [0], y: 0
mutator x: 1, exes: [1], y: 2
global after x: 0, exes: [1], y: 3

```




**Question 4: Memory Diagram** Trace a memory diagram of the following code listing.

```
1 def loopy(foods: list[str]) -> list[str]:
2     index: int = len(foods) - 1
3     while index >= 0:
4         print(foods[index])
5         foods.pop(index)
6         index -= 2
7     foods.append("papaya")
8     return foods
9
10
11 # Example usage:
12 words: list[str] = ["apple", "banana", "cherry", "date"]
13 print(words)
14 loopy(words)
15 print(words)
```

Output

["apple", "banana", "cherry", "date"]  
date  
banana  
["apple", "cherry", "papaya"]




**Question 5: Memory Diagram** Trace a memory diagram of the following code listing.

```
1 def combine(ayes: list[int], bees: list[int]) -> list[int]:
2     """Add the items of two lists item-wise."""
3     assert len(ayes) == len(bees)
4     idx: int = 0
5     result: list[int] = []
6     while idx < len(ayes):
7         result.append(ayes[idx] + bees[idx])
8         idx += 1
9     return result
10
11
12 odds: list[int] = [1, 3, 5]
13 evens: list[int] = [2, 4, 6]
14 totals: list[int] = combine(odds, evens)
15 print(totals)
```

Output

[3,7,11]



**Question 6: Memory Diagram** Trace a memory diagram of the following code listing and then answer the sub-questions. You do not need to diagram the sub-questions.


```

1 def sum2d(xs: list[list[int]]) -> int:
2     """Calculate the sum of a 2-dimensional list of lists."""
3     total: int = 0
4     row_i: int = 0
5     while row_i < len(xs):
6         col_i: int = 0
7         while col_i < len(xs[row_i]):
8             total += xs[row_i][col_i]
9             col_i += 1
10        row_i += 1
11    return total
12
13
14 values: list[list[int]] = [
15     [1, 2, 3],
16     [3, 4, 5],
17     [7, 8, 9]
18 ]
19 print(sum2d(values))

```

Output

42



**Question 7: Memory Diagram** Trace a memory diagram of the following code listing.


```

1 def mul_table(height: int, width: int) -> list[list[int]]:
2     """Generate a multiplication table."""
3     table: list[list[int]] = []
4     row_idx: int = 1
5     while row_idx <= height:
6         col_idx: int = 1
7         row: list[int] = []
8         while col_idx <= width:
9             row.append(row_idx * col_idx)
10            col_idx += 1
11        table.append(row)
12        row_idx += 1
13    return table
14
15
16 print(mul_table(3, 3))

```

Output

$[[1, 2, 3], [2, 4, 6], [3, 6, 9]]$



**Question 8: CHALLENGE Memory Diagram** Trace a memory diagram of the following code listing.

```

1 def sort(xs: list[int]) -> None:
2     """Sort with the insertion sort algorithm."""
3     N: int = len(xs) # Number of items
4     idx: int = 1 # "current index"
5     x: int # "current value"
6     si: int # "shift index" searching backward
7
8     while idx < N:
9         print(xs)
10        x = xs[idx] # store current value
11        si = idx
12        while si > 0 and x < xs[si - 1]:
13            xs[si] = xs[si - 1] # shift greater value forward one
14            si -= 1
15        xs[si] = x # *insert* (assign) "current value" in correct position
16        idx += 1
17
18
19 values: list[int] = [40, 10, 30, 20]
20 sort(values)
21 print(values)


```

Output

```

[40, 10, 30, 20]
[10, 40, 30, 20]
[10, 30, 40, 20]
[10, 20, 30, 40]

```



**Question 9: Function Writing** Write a function definition for `reverse` with the following expectations:

- The `reverse` function should accept a `list[str]` parameter and return a `list[str]`.
- The returned `list` should have every item of the parameter list in reversed order, such that the first value of the returned list was the last value of the input list, the second value of the returned list was the second to last value of the input list, and so on.
- The function *must not mutate* its parameter.
- The function *must not use* the `copy`, `reverse`, or `insert` methods of `list`.
- You should explicitly type all variables, parameters, and return types.

9.1. Write your function definition for `reverse` here.

```
def reverse(xs: list[str]) -> list[str]:  
    """ Reverse elements of input list without mutation. """  
    reversed: list[str] = []  
    idx: int = len(xs) - 1  
    while idx >= 0:  
        reversed.append(xs[idx])  
        idx -= 1  
    return reversed
```

9.2. Write a test function for a use case that demonstrates expected usage with at least three values in the list. (Note that there are infinite correct answers!)

```
def test_reverse_3() -> None:  
    """ Test reversal of three-element list. """  
    assert reverse(["one", "two", "three"]) == ["three", "two", "one"]
```

Note: this test will pass if the return value of this function call (after the keyword, `assert`) matches the list to the right of the `=`. Otherwise, the test will fail.  
Since this is an expected use of the `reverse` function, this is testing a "use case".

**Question 10: CHALLENGE Function Writing** Write a function definition for `flip_flop` with the following expectations:

- The `flip_flop` function should accept a `list[str]` parameter and return `None`.
- The function *must mutate* its parameter such that pairs of subsequent indices are swapped. For example, index 0's value should be swapped with index 1's value. Index 2's value should be swapped with index 3's value, and so on. If there are an odd number of indices, leave the final element in its place.
- You should explicitly type all variables, parameters, and return types.

10.1. Write your function definition for `flip_flop` here.

```
def flip_flop(strs: list[str]) → None:  
    idx: int = 1  
    while idx < len(strs):  
        temp: str = strs[idx]  
        strs[idx] = strs[idx - 1]  
        strs[idx - 1] = temp  
        idx += 2
```

10.2. Write a test function for a use case that demonstrates expected usage with at least three values in the list.

This is one solution - infinite possible tests!

```
def test_flip_flop_5() → None:  
    """Test flip_flop with 5 elements."""  
    letters: list[str] = ["a", "b", "c", "d", "e"]  
    flip_flop(letters)  
    assert letters == ["b", "a", "d", "c", "e"]
```

Note: Remember that, since `letters` and the parameter in the `flip-flop` function refer to the same exact list in the heap, when the elements of the `strs` list are reassigned, `letters`' elements are also being reassigned!

*This page intentionally left blank. Do not remove from quiz packet.*