

Quiz 04 - Practice

COMP 110: Introduction to Programming
Spring 2025

April 7, 2025

Name:

Solutions

9-digit PID:

Question 1: Multiple Choice Answer the following questions about concepts covered in class.

- 1.1. All instances of a class have the same attribute *values*.
☐ True
☒ False
- 1.2. An object's attribute values *cannot* be accessed from outside the class.
☐ True
☒ False
- 1.3. What is the difference between a class and an object?
☐ A class is a collection of objects
☒ A class is a blueprint; an object is a specific instance of that blueprint
☐ They are the same in Python
☐ An object can contain classes, but not the other way around
- 1.4. Because class definitions have attributes, local variables are not allowed inside method definitions.
☐ True
☒ False
- 1.5. What does it mean to "instantiate" a class?
☐ Define the class
☐ Import a module
☒ Create an object from a class
☐ Define attributes
- 1.6. What is the purpose of the `__str__` magic method in Python?
☐ To convert an object to a `str` data type.
☒ To define how an object should be represented as a string when using `str(<object>)` or `print(<object>)`.
☐ To print a string's location ("address") in a computer's memory.
☐ To prevent an error from occurring when printing an object.
- 1.7. The constructor of a class is only called once in a program, no matter how many objects of that class are constructed.
☐ True
☒ False
- 1.8. The first parameter of any method is _____ and it is given a reference to the object the method was called on.
☐ `me`
☒ `self`
☐ `init`
☐ `this`
- 1.9. An instance of a class is stored in the:
☐ stack
☒ heap
☐ output
- 1.10. Why is the type of the `next` attribute in a Node class typically defined as `Node | None`?
☐ It ensures the `next` attribute always has a valid Node instance.
☒ It allows the `next` attribute to represent the end of a linked list by being assigned `None`.
☐ Python requires all attributes to be initialized to `None` by default.
☐ It tells the computer to raise an error if the `next` attribute is `None`.
- 1.11. What happens if a recursive function does not have a base case?
☐ The program compiles but never runs.
☐ The function stops automatically after 1,000,000 iterations.
☐ The function converts to an iterative process.
☒ The function enters infinite recursion and raises a `RecursionError`.

Question 2: Identifying Elements of a Python Class Consider the following class definition.

```

1 class Point:
2     x: float
3     y: float
4
5     def __init__(self, x: float, y: float):
6         self.x = x
7         self.y = y
8
9     def flip(self) -> None:
10        temp: float = self.x
11        self.x = self.y
12        self.y = temp
13
14    def shift_y(self, dy: float) -> None:
15        self.y += dy
16
17    def diff(self) -> float:
18        return self.x - self.y

```

Bubble in all lines on which any of the concepts below are found. Bubble N/A if the concept is not in the code listing.

2.1. Constructor Declaration

☐ 1 ☐ 2 ☒ 5 ☐ 9 ☐ 11

2.2. Attribute Declaration

☒ 2 ☒ 3 ☐ 6 ☐ 7 ☐ 10

2.3. Attribute Initialization

☐ 2 ☐ 3 ☒ 6 ☒ 7 ☐ 10

2.4. Method Declaration

☐ 1 ☒ 9 ☐ 10 ☒ 14 ☒ 17

2.5. Local Variable Declaration

☐ 2 ☐ 3 ☐ 6 ☐ 7 ☒ 10

2.6. Instantiation

☐ 1 ☐ 5 ☐ 9 ☐ 10 ☒ N/A

Question 3: Using Classes Given the code listing above, use the Point class in the next questions.

3.1. Write a line of code to create an *explicitly typed* instance of the Point class called `my_point` with an x of 3.7 and y of 2.3.

`my_point : Point = Point(x=3.7, y=2.3)` (can be written with positional or keyword arguments)

3.2. Write a magic method that would cause `print(my_point)` to print `(3.7, 2.3)`, or the attribute values for any other Point object. In other words, the literal values 3.7 and 2.3 should not be written anywhere in your method definition; instead, use the attribute names to access their values. Assume this method would be added inside the Point class (no need to rewrite any of the class).

```

def __str__(self) -> str:
    return f"({self.x}, {self.y})"

```

3.3. Write a line of code to change the value of the `my_point` variable's `x` attribute to 2.0.

```
my_point.x = 2.0
```

3.4. Write a line of code to cause the `my_point` variable's `y` attribute to increase by 1.0 using a *method call*.


```
my_point.shift_y(1.0)
```

3.5. Write a line of code to declare an *explicitly typed* variable named `x`. Initialize `x` to the result of calling the `diff` method on `my_point`.

```
x: float = my_point.diff()
```

Question 4: Traversing a Linked List Print the output of the function calls below. Write "Error" if code would result in an error.

```
1 from __future__ import annotations
2
3 class Node:
4     value: int
5     next: Node | None
6
7     def __init__(self, value: int, next: Node | None):
8         self.value = value
9         self.next = next
10
11     def __str__(self) -> str:
12         rest: str
13         if self.next is None:
14             rest = "None"
15         else:
16             rest = str(self.next)
17         return f"{self.value} -> {rest}"
18
19 sun: Node = Node(4, None)
20 moon: Node = Node(7, sun)
```



4.1. Print the output.

```
1 print(moon)
```

```
7 -> 4 -> None
```

4.2. Print the output.

```
1 print(sun.value)
```

```
4
```

4.3. Print the output.

```
1 print(moon.next)
```

```
4 -> None
```

4.4. Print the output.

```
1 print(moon.next.next)
```

```
None
```

Question 5: Memory Diagram Trace a memory diagram of the code listing.

```

1 class Dog:
2     name: str
3     age: int
4
5     def __init__(self, n: str, a:int):
6         self.name = n
7         self.age = a
8
9     def speak(self) -> None:
10        print(self.name + " says woof!")
11
12    def birthday(self) -> int:
13        self.age += 1
14        return self.age
15
16 class Cat:
17     name: str
18     age: int
19
20     def __init__(self, n: str, a:int):
21         self.name = n
22         self.age = a
23
24     def speak(self) -> None:
25        print(self.name + " says meow!")
26
27    def birthday(self) -> int:
28        self.age += 1
29        return self.age
30
31 rory: Dog = Dog(n = "Rory", a = 4)
32 print(rory.birthday())
33 miso: Cat = Cat("Miso", 2)
34 miso.speak()


```

Output

```

5
Miso says meow!

```



Question 6: Memory Diagram Trace a memory diagram of the code listing.


```

1 class Concert:
2     artist: str
3     seats: dict[str, bool]
4
5     def __init__(self, a: str, s: dict[str, bool]):
6         self.artist = a
7         self.seats = s
8
9     def assign_seats(self, wanted_seats: list[str], name: str) -> None:
10        for seat in wanted_seats:
11            if seat in self.seats:
12                available: bool = self.seats[seat]
13                if available:
14                    print(f"{name} bought seat {seat} to see {self.artist}!")
15                    self.seats[seat] = False
16            else:
17                print(f"Seat {seat} is unavailable :(")
18
19 lenovo_seats: dict[str, bool] = {"K1": True, "K2": True, "K3": False}
20 show: Concert = Concert(a = "Travisty", s = lenovo_seats)
21 show.assign_seats(wanted_seats = ["K2", "K3"], name = "Kay")

```

Output

Kay bought seat K2 to see Travisty!
 Seat K3 is unavailable :(



Question 7: Class Definition Writing Write a class definition with the following attributes and methods:

- The class name is `BankAccount`, and it has two attributes: `name`, a `str`, and `balance`, a `float`.
- The `initializer` (also called a `constructor`) has parameters to initialize the `name` and `balance` of an instance of `BankAccount`.
- The `BankAccount` class has a method called `deposit` that adds a specified amount into the `balance` attribute of the `BankAccount` object the method is called on.
- The `BankAccount` class has a method called `withdraw` that will subtract a specified amount from the `balance` attribute of the `BankAccount` object the method is called on *if the balance is at least the amount to withdraw*. If the balance IS at least the amount to withdraw, return the remaining balance after withdrawal. If the balance is NOT greater than the amount to withdraw, the code should print `"Insufficient funds"` and return a value of `-1.0`.
- Explicitly type variables, parameters, and return types.

The following REPL examples demonstrate expected functionality of an instance of your `BankAccount` class:

```
1 >>> my_account = BankAccount("Prati", 30.0)
2 >>> my_account.deposit(10.0)
3 >>> print(my_account.balance)
4 40.0
5 >>> print(my_account.withdraw(5.0))
6 35.0
7 >>> print(my_account.withdraw(1000.0))
8 Insufficient funds
9 -1.0
```

7.1. Write your ^{class}~~function~~ definition here:

```
class BankAccount:
    name: str
    balance: float
    def __init__(self, n: str, b: float):
        self.name = n
        self.balance = b
    def deposit(self, amount: float) -> None:
        self.balance += amount
    def withdraw(self, amount: float) -> float:
        if amount <= self.balance:
            self.balance -= amount
            return self.balance
        else:
            print("Insufficient funds")
            return -1.0
```

Congratulations on prepping for your last COMP 110 quiz!